7

Notice of Allowability	Application No.	Applicant(s)		
	10/619,908	D'ARCY ET AL.	D'ARCY ET AL.	
	Examiner	Art Unit		
	Sam Rizk	2112		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>10/12/2007</u> .				
2. The allowed claim(s) is/are <u>1-20</u> .				
 3. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application N	No	ition from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be subministration (PTO-152) which give			IOTICE OF	
 5. CORRECTED DRAWINGS (as "replacement sheets") muss (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposition of the deposit	con's Patent Drawing Review (. s Amendment / Comment or in .84(c)) should be written on the comment according to 37 CFR 1	the Office action of drawings in the front (not the late).	·	
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	6.	il Date nendment/Comment	Maránco.	
of Biological Material	9. Other	Atement of Reasons for All College Col	ES AMINER AMINER A 2100	

10/619,908 Art Unit: 2112

DETAILED ACTION

- Response to the applicant's amendment dated 10/12/2007
- Amended claims 1-20 have been submitted for examination
- Amended claims 1-20 have been allowed

Response to Arguments

1. Applicant's arguments and amended claims 1, 7 and 13 filed on 10/10/2007, have been fully considered. Amendments to the claims have not overcome the rejections under section 35 *USC § 101* per the office action mailed on 7/12/2007. The applicant has agreed to the proposed Examiner amendments to the specification to overcome rejections under section *35 USC § 101* as follows.

EXAMINER'S AMENDMENT

An examiner's amendment to the record attached to this office. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- Authorization for this examiner's amendment was given in a telephone interview with attorney Joel Justiss (Phone: 972-480-8800) on 11/16/2007.
- 3. Change claim 8, line 2 the ". When combined with a computer..." to "...when executed by a computer..."
- Replace section [0008] to read (changes highlighted):
 [0008] To address the above-discussed deficiencies of the prior
 art, the present invention provides a reduction checksum generator

10/619,908 Art Unit: 2112

for calculating a checksum value for a block of data. In one embodiment, the reduction checksum generator includes: (i) a reduction unit having a plurality of reduction stages and configured to pipeline a plurality of segments of the block of data through the plurality of reductions stages to reduce the plurality of segments to at least two segments, and (2) a checksum unit configured to generate a one's complement sum of the at least two segments and invert the one's complement sum to produce the checksum value. For purposes of the present invention, the phrase "configured to" means that the device, the system or the subsystem includes the necessary **software**, hardware, **and** firmware **or a combination thereof** to accomplish the stated task.

- 5. Replace section [0025] to read (changes highlighted):

 [0025] One skilled in the art should know that the reduction checksum generator 200 may have additional circuitry that is not illustrated. Also, in other embodiments, the checksum unit 230 may be a conventional checksum generator. In addition, the reduction checksum generator 200 may be embodied in hardware, software, and firmware, microcode or a combination thereof.
- 6. Replace section [0053] to read (changes highlighted):

Application/Control Number:

10/619,908 Art Unit: 2112

[0053] One skilled in the art should know that the parallel reduction checksum generator 700 may have additional circuitry that is not illustrated. Also, in other embodiments, the checksum unit 740 may be a conventional checksum generator. In addition, the parallel reduction checksum generator 700 may be embodied in hardware, software, and firmware, microcode or a combination thereof.

Reasons For Allowance

7. Amendments to the claims 1, 8, and 15 and the specifications section [0008], [0025] and [0053] has overcome rejections under section **35 USC § 101**.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sam Risk whose telephone number is (571) 272-8191. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jacques Louis-Jacques can be reached on (571) 272-6962. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronics Business Center (EBC) at 866-217-9197 (toll-free?)

Sam Risk,

Examiner

ART UNIT 2112